

Package: ipwCoxCSV (via r-universe)

September 18, 2024

Type Package

Title Inverse Probability Weighted Cox Model with Corrected Sandwich Variance

Version 1.0

Date 2019-09-16

Author Di Shu <shudi1991@gmail.com>, Rui Wang <rwang@hsph.harvard.edu>

Maintainer Di Shu <shudi1991@gmail.com>

Description An implementation of corrected sandwich variance (CSV) estimation method for making inference of marginal hazard ratios (HR) in inverse probability weighted (IPW) Cox model without and with clustered data, proposed by Shu, Young, Toh, and Wang (2019) in their paper under revision for Biometrics. Both conventional inverse probability weights and stabilized weights are implemented. Logistic regression model is assumed for propensity score model.

License GPL (>= 2)

Imports survival, stats

RoxygenNote 6.0.1

NeedsCompilation no

Date/Publication 2019-10-09 08:50:03 UTC

Repository <https://shu-d.r-universe.dev>

RemoteUrl <https://github.com/cran/ipwCoxCSV>

RemoteRef HEAD

RemoteSha 0e8493b45e79c782b53b5dfd1be7e87153c96119

Contents

ipwCoxCSV-package	2
ipwCoxCluster	2
ipwCoxInd	4

Index	6
--------------	----------

ipwCoxCSV-package	<i>Inference of Marginal Hazard Ratios (HR) in Inverse Probability Weighted (IPW) Cox Model Using Corrected Sandwich Variance (CSV)</i>
-------------------	---

Description

This package is an implementation of the corrected sandwich variance (CSV) estimation method for making inference of marginal hazard ratios (HR) in inverse probability weighted (IPW) Cox model without and with clustered data, under both the conventional inverse probability weights and the stabilized weights, proposed by Shu, Young, Toh, and Wang (2019). Logistic regression model is assumed for propensity score model.

Details

The ipwCoxCSV package implements the corrected sandwich variance estimation method for making inference of marginal hazard ratios in inverse probability weighted Cox model without and with clustered data, under both the conventional inverse probability weights and the stabilized weights, proposed by Shu, Young, Toh, and Wang (2019). This sandwich type variance estimation is referred to as corrected sandwich variance estimation, because it takes into account the uncertainty in weight estimation. The function `ipwCoxInd` implements the corrected sandwich variance estimation method without clustered data (i.e., assuming independence among observations). The function `ipwCoxCluster` implements the corrected sandwich variance estimation method with clustered data (i.e., allowing for within-cluster correlation).

Author(s)

Di Shu and Rui Wang

Maintainer: Di Shu <shudi1991@gmail.com>

References

Shu D, Young JG, Toh S, Wang R (2019). Variance estimation in inverse probability weighted Cox model. *Biometrics*, under revision.

ipwCoxCluster	<i>Inference of marginal HR in IPW Cox model based on CSV with clustering</i>
---------------	---

Description

Inference of marginal hazard ratios (HR) in inverse probability weighted (IPW) Cox model with clustered data, under both the conventional inverse probability weights and the stabilized weights. Corrected sandwich variance (CSV) estimation method is used for variance estimation of estimated log marginal hazard ratios.

Usage

```
ipwCoxCluster(data, indID, indA, indX, indStatus, indTime, ties = "breslow",
  confidence = 0.95)
```

Arguments

data	A clustered dataset to be analyzed in the form of R data frame.
indID	A column name indicating the cluster variable. Observations from the same cluster have the same indID value.
indA	A column name indicating the treatment variable.
indX	A vector of column names indicating the covariates included in the propensity score model.
indStatus	A column name indicating the non-censoring status (1 if observed and 0 if censored).
indTime	A column name indicating the outcome variable, i.e., min(true event time, censoring time).
ties	A character string indicating the method ("efron", "breslow", or "exact") to deal with tied events for point estimation; the default is "breslow". For variance estimation, Breslow method is used to deal with tied events.
confidence	A confidence level between 0 and 1; the default is 0.95 corresponding to a 95 per cent confidence interval.

Value

A matrix of inference results from inverse probability weighted Cox model with clustered data. The first and the second rows report log marginal hazard ratio estimate and associated corrected sandwich based standard error, marginal hazard ratio estimate and associated normality-based confidence interval, under conventional inverse probability weights and stabilized weights, respectively.

Examples

```
#simulate a dataset under marginal hazard ratio 1.5 with clustering
set.seed(100)
n=300
oneGene<-function(id){
  tau=0.7
  alpha=(1/tau-1)/2
  u1=runif(1)
  u2=runif(1)
  af=(1-u2)^(-1/alpha)
  T0v1=-log(1-u2)
  T0v2=alpha*log((1-af)+af*((1-u1)^(-1/(1+alpha))))
  T0=c(T0v1, T0v2)
  ZZZ=rep(rnorm(1), 2)
  X1before= 0.5*(T0+0.2)/(T0+1)+0.3*ZZZ
  X1=mean(X1before)
  X2= 1/log(1.3*T0+3)-0.3*ZZZ
  X3= rbinom(2,1,0.3+0.5/(T0+1))
```

```

A=rbinom(2,1,1/(1+exp(1-2*X1-X2-X3)))
Ttime <- T0*exp(-log(1.5)*A)
rateC=0.5
C <- rexp(2, rate=rateC)
time <- pmin(Ttime, C)
status <- as.numeric(Ttime <= C)
cbind(id=id,time=time,status=status,A=A,X1=X1,X2=X2,X3=X3)
}
da=as.data.frame(do.call("rbind",lapply(1:n,oneGene)))
head(da)
#inference results for marginal hazard ratio
ipwCoxCluster(data=da,indID="id",indA="A",indX=c("X1","X2","X3"),indStatus="status",indTime="time")

```

ipwCoxInd

Inference of marginal HR in IPW Cox model based on CSV without clustering (i.e., assuming independence among observations)

Description

Inference of marginal hazard ratios (HR) in inverse probability weighted (IPW) Cox model with independent sample (i.e, without clustered data), under both the conventional inverse probability weights and the stabilized weights. Corrected sandwich variance (CSV) estimation method is used for variance estimation of estimated log marginal hazard ratios.

Usage

```
ipwCoxInd(data, indA, indX, indStatus, indTime, ties = "breslow",
          confidence = 0.95)
```

Arguments

data	A dataset to be analyzed in the form of R data frame.
indA	A column name indicating the treatment variable.
indX	A vector of column names indicating the covariates included in the propensity score model.
indStatus	A column name indicating the non-censoring status (1 if observed and 0 if censored).
indTime	A column name indicating the outcome variable, i.e., min(true event time, censoring time).
ties	A character string indicating the method ("efron","breslow",or "exact") to deal with tied events for point estimation; the default is "breslow". For variance estimation, Breslow method is used to deal with tied events.
confidence	A confidence level between 0 and 1; the default is 0.95 corresponding to a 95 per cent confidence interval.

Value

A matrix of inference results from inverse probability weighted Cox model with independent sample. The first and the second rows report log marginal hazard ratio estimate and associated corrected sandwich based standard error, marginal hazard ratio estimate and associated normality-based confidence interval, under conventional inverse probability weights and stabilized weights, respectively.

Examples

```
#simulate a dataset under marginal hazard ratio 1.5 without clustering
set.seed(100)
n=700
T0=rexp(n, rate=0.01)
ZZZ=rnorm(n)
X1= 0.5*(T0+0.2)/(T0+1)+0.3*ZZZ
X2= 1/log(1.3*T0+3)-0.3*ZZZ
X3= rbinom(n,1,0.3+0.5/(T0+1))
A=rbinom(n,1,1/(1+exp(0.53+X1-X2-X3)))
Ttime <- T0*exp(-log(1.5)*A)
rateC=0.0005
C <- rexp(n, rate=rateC)
time <- pmin(Ttime, C)
status <- as.numeric(Ttime <= C)
da=data.frame(id=1:n,time=time,status=status,A=A,X1=X1,X2=X2,X3=X3)
head(da)
#inference results for marginal hazard ratio
ipwCoxInd(data=da,indA="A",indX=c("X1","X2","X3"),indStatus="status",indTime="time")
```

Index

* **package**

 ipwCoxCSV-package, [2](#)

ipwCoxCluster, [2](#), [2](#)

ipwCoxCSV-package, [2](#)

ipwCoxInd, [2](#), [4](#)